

Lavamanos cuadrado de bajo poner. Modelo: Connelly®

FUNCIONES

- CEFIONTECT® El esmalte cerámico evita que la suciedad y el moho se adhieran a la cerámica
- Tamaño completo: 43.3 x 43.3 x 14.3 cm
- Corte de mesón: Según plantilla
- Profundidad: 14.3 cm
- Cumple con ADA (con rebose)
- No incluye accesorios de conexión para la instalación del lavamanos en mármol/granito.



CEFIONTECT

COLORES/ACABADOS

- #01
Algodón

ESPECIFICACIÓN DEL PRODUCTO

Lavamanos cuadrado de bajo poner con rebose en esmalte cerámico CEFIONTECT®. Cumple con ADA.

CODES/STANDARDS

- Cumple con las directrices de ADA y los requisitos de ANSI A117.1 cuando el mesón se instala a 864 mm (34") desde el suelo terminado y el lavamanos se instala 64 mm (2-1/2") como mínimo desde el borde frontal.
- Cumple y ASME A112.19.2/CSA B45.1
- Certificaciones: IAPMO(CUPC), Estado de Massachusetts, Ciudad de Los Ángeles, y otros



5-AA-LT491G#01




Lavamanos cuadrado de bajo poner. Modelo: Connelly®

ESPECIFICACIONES

Diámetro del desagüe	1-1/4" (32 mm)
Tamaño completo	17" (433 mm) x 17" (433 mm)
Orificio del mesón	14" (356mm) x 14" (356mm)
Garantía	Garantía limitada de dos años por daño interno de fabricación
Material	Porcelana vitrificada
Peso del envío	24 lbs.
Dimensiones de empaque	22-1/4"W x 18-3/4"D x 9-3/4"H


NOTAS DE INSTALACIÓN

Accesorios de instalación. No incluidos.




Tenga en cuenta que las griferías Soiré® TL960DD y TL960SD no se recomiendan para su uso con este

Para ADA, instale el lavamanos con rebose en la parte trasera



ADA COMPLIANCE CHECK



*For ADA, install lavatory with overflow in the rear.

TOTO®

Estas dimensiones y especificaciones están sujetas a cambios sin previo aviso

Tenga en cuenta la ficha original de la fábrica en ingles

Connelly® Undercounter Lavatory

FEATURES

- Counter Cutout: 14" x 14"
- Square Undercounter Lavatory
- Optional CeFiONtect™ ceramic glaze minimizes debris, mold and bacteria from sticking to porous, ceramic surfaces
- ADA compliant (with overflow to the rear)
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set for wood countertops
- THU410 is required for marble/granite type counter top installation and must be purchased separately



MODELS

- LT491G - with CeFiONtect ceramic glaze (#01, #03, #11, #12)
- LT491 - without CeFiONtect ceramic glaze (#51)

PRODUCT SPECIFICATION

The undercounter lavatory shall be made of vitreous china. Counter cutout shall be 14" in length and 14" in width. Product shall be with rear overflow and lavatory shall include mounting assembly. Lavatory shall have CeFiONtect ceramic glaze. Lavatory shall be **TOTO Model LT491__**.

COLORS/FINISHES

- #01 Cotton
- #03 Bone
- #11 Colonial White
- #12 Sedona Beige
- #51 Ebony

CODES/STANDARDS

- Meets ADA guidelines and ANSI A117.1 requirements when countertop is installed 864mm (34") from finished floor and lavatory is installed 64mm (2-1/2") minimum from front edge.
- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), State of Massachusetts, City of Los Angeles, and others



LT491(G)


Connelly® Undercounter Lavatory

SPECIFICATIONS


- Waste 1-1/4" (32 mm)
- Size 17" (433 mm) x 17" (433 mm)
- Counter Cutout 14" (356mm) x 14" (356mm)
- Basin 14 1/2" (370mm) x 14 1/2" (370mm)
- Warranty One Year Limited Warranty
- Material Vitreous china
- Shipping Weight 24 lbs.
- Shipping Dimensions 22-1/4"W x 18-3/4"D x 9-3/4"H

INSTALLATION NOTES


Mounting Hardware



Please note: Soiree® faucets TL960DD and TL960SD are not recommended for use with this lavatory.



ADA COMPLIANCE CHECK



*For ADA, install lavatory with overflow in the rear.

TOTO®

These dimensions and specifications are subject to change without notice