



ACCESORIOS Y ACABADOS®

5-AA-TLG10201U#PN

Grifería lavamanos 8". Modelo GB

FUNCIONES

- Tecnología WaterSense® consumo 1,2 GPM (4,5 LPM)
- Incluye desagüe Pop-Up
- Cumple ADA

COLORES/ACABADOS

- #PN níquel pulido

ESPECIFICACIÓN DEL PRODUCTO

Grifería lavamanos 8". Modelo GB consumo 1,2 GPM (4,5 LPM). Incluye cartuchos de válvula de disco cerámico y desagüe Pop-Up



CODES/STANDARDS

- Cumple ASME A112.18.1/CSA B125.1, NSF 61/NSF 372
- Certificaciones: IAPMO(CUPC), EPA WaterSense, Estado de Massachusetts y otros
- Cumplimiento de código: UPC, IPC, NSPC, NPC Canadá y otros
- California Green Building Code, Ciudad de Los
- Ordenanza de Eficiencia del Agua de Ángeles
- Cumple con los requisitos federales y estatales como sin plomo (promedio ponderado de 0.25% de plomo)
- Cumple con ADA
- Cumple con los requisitos de advertencia de CA Prop 65






5-AA-TLG10201U#PN


Grifería lavamanos 8". Modelo GB

ESPECIFICACIONES

Material	Latón
Caudal máximo	1.2 GPM (4.5 LPM)
Garantía	Garantía limitada de dos años por daños internos de fabricación



DIMENSIONES



TOTO®

GB Widespread Faucet

FEATURES

- WaterSense® certified low-flow 1.2 gpm (4.5 lpm) faucet
- Brass construction
- Lever handles
- Metal pop-up drain assembly included

COLORS/FINISHES

- #CP Polished Chrome
- #PN Polished Nickel
- #BN Brushed Nickel

Made to Order

- #PFG Polished French Gold
 - #PBR Polished Bronze
 - #PBL Polished Black*
 - #PRG Polished Rose Gold*
 - #MBL Matte Black*
 - #BRG Brushed Rose Gold*
- *Available 2021*

PRODUCT SPECIFICATION

Product shall have a maximum flow rate of 1.2 gpm (4.5 lpm). Product shall have a brass construction. Product shall have lever handles. Product shall have a ceramic disk valve cartridges. Product shall include metal pop-up drain assembly. Product shall be TOTO Model TLG10201U#_____.



CODES/STANDARDS

- Meets or exceeds ASME A112.18.1/CSA B125.1, NSF 61/NSF 372
- Certifications: IAPMO(cUPC), EPA WaterSense, State of Massachusetts and others
- Code Compliance: UPC, IPC, NSPC, NPC Canada, and others
- California Green Building Code, City of Los Angeles Water Efficiency Ordinance
- Complies with federal and state requirements as lead-free (weighted average of 0.25% lead or less)
- ADA compliant
- Complies with CA Prop 65 warning requirements




TLG10201U


GB Widespread Faucet

SPECIFICATIONS

Material	Brass
Maximum Flow Rate	1.2 gpm (4.5 lpm)
Warranty	Lifetime Limited Warranty (Residential Use) One Year (Commercial Use)



DIMENSIONS



TOTO

These dimensions and specifications are subject to change without notice

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

SS-01610 v.02